Revision: 03.08.2022



## Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022

Version number 2 (replaces version 1)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weber 140 nova plus Self Level Universal

**Safety data sheet no.**: 358P0568 **UFI**: DJMR-KNKV-NF9P-GXD4

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

#### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber PL 70 (Strömberginkuia 2)

(Strömberginkuja 2) FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00 Fax +358-(0)10-44 22 295 DL-productsafety.fi@saint-gobain.com www.fi.weber

### 1.4 Emergency telephone number:

0800 147 111 (toll-free) 09 471 977 (standard rate) Finnish Poison Information Centre

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### **Hazard pictograms**



GHS05

#### Signal word Danger

#### Hazard-determining components of labelling:

cement portland, grey

#### **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)



Printing date 03.08.2022 Version number 2 (replaces version 1) Revision: 03.08.2022

#### Trade name weber 140 nova plus Self Level Universal

(Contd. of page 1)

**Precautionary statements** 

P102 Keep out of reach of children.

P261 Avoid breathing dust.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

### 2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

Under the conditions of conservation, the reducing agent used keeps the content of soluble chromium (VI) below 2 ppm until the expiration date indicated.

#### Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Ready-mixed mortar

Dangerous components:	Dangerous components:			
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	50-75%		
CAS: 471-34-1 EINECS: 207-439-9 Reg.nr.: 01-2119486795-18-xxxx	calcium carbonate substance with a Community workplace exposure limit	25-50%		
CAS: 7778-18-9 EINECS: 231-900-3 Reg.nr.: 01-2119444918-26-xxxx	calcium sulphate, natural substance with a Community workplace exposure limit	2-5%		
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey	2-5%		

### **SVHC** Void

#### **Additional information**

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8).

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime

For the wording of the listed hazard phrases refer to section 16.

- EUG



Printing date 03.08.2022 Version number 2 (replaces version 1) Revision: 03.08.2022

Trade name weber 140 nova plus Self Level Universal

(Contd. of page 2)

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

After inhalation Supply fresh air.

#### After skin contact

Rinse with warm water.

If skin irritation continues, consult a doctor.

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

#### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

#### 4.2 Most important symptoms and effects, both acute and delayed

This powder (wet or dry) may cause irritation or potentially irreversible serious injury on contact with the eyes. Prolonged contact with moist skin (due to e.g. sweat or humidity) can cause skin irritation

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

#### 5.3 Advice for firefighters

Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

## **6.1 Personal precautions, protective equipment and emergency procedures** Avoid formation of dust.

**6.2 Environmental precautions:** No special measures required.

#### 6.3 Methods and material for containment and cleaning up:

The dry powder and the fresh product is removed with water. The hardened product is removed mechanically.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)



Printing date 03.08.2022 Version number 2 (replaces version 1) Revision: 03.08.2022

#### Trade name weber 140 nova plus Self Level Universal

(Contd. of page 3)

## 7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required. Further information about storage conditions: Store in dry conditions.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

DNELs		
CAS: 471-34-1 calcium c	arbonate	
Inhalative Derived No Eff	ect Level 6.36 mg/m³ (worker local long term value)	
	1.06 mg/m³ (consumer local long term value)	
CAS: 65997-16-2 Cemen	t, alumina, chemicals	
Inhalative Derived No Eff	ect Level 2.5 mg/m³ (worker systemic long term value)	
	5 mg/m³ (worker systemic short term value)	
CAS No. Designation	of material % Type Value Unit	
CAS: 14808-60-7 Silicon	dioxide (Quartz sand)	
BOELV (European Union)	Long-term value: 0.1* mg/m³	
	*respirable fraction	
MAK (Germany)  Long-term value: 0.05 mg/m³ alveolengängige Fraktion		
GV (Denmark)	Long-term value: 0.3* 0.1** mg/m³ *total:,**total, respirabel, EK	
LEP (Spain)	Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y	
TWA (Italy)	Long-term value: 0.025 mg/m³ A2, (j)	
VLE (Portugal)	Long-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão	
OEL (Sweden)	Long-term value: 0.1 mg/m³ C, M, respirabel fraktion	
HTP (Finland)	Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly	
CAS: 471-34-1 calcium o	arbonate	
LEP (Spain)	Long-term value: 10 mg/m³	
TWA (Italy)	Long-term value: (10) mg/m³ (e)	
VLE (Portugal)	(Portugal) Long-term value: (10) mg/m³ (Irritação)	



Printing date 03.08.2022 Version number 2 (replaces version 1) Revision: 03.08.2022

#### Trade name weber 140 nova plus Self Level Universal

	(Contd.	of page	
CAS: 7778-18-9 calci	um sulphate, natural		
AGW (Germany)	Long-term value: 6 A mg/m³ DFG		
LEP (Spain)	Long-term value: 10 mg/m³ e		
TWA (Italy)	Long-term value: 10 mg/m³ (i)		
VLE (Portugal)	Long-term value: 10 mg/m³ Fração inalável; Sintomas nasais		
CAS: 65997-15-1 cement portland, grey			
AGW (Germany)	Long-term value: 5 E mg/m³ DFG		
LEP (Spain)	Long-term value: 4 mg/m³ fracción respirable: e, d		
TWA (Italy)	Long-term value: 1 mg/m³ (e, j), A4		
VLE (Portugal)	Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma		
HTP (Finland)	Long-term value: 5* 1** mg/m³ *hengittyvä pöly, **alveolijae		

#### 8.2 Exposure controls

#### Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.

Eye/face protection Safety glasses.

Body protection: Protective work clothing.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

**General Information** 

Colour: Grey

Odour:Nearly odourlessOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

**Flammability** Product is not flammable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicable

(Contd. on page 6)



Revision: 03.08.2022 Printing date 03.08.2022 Version number 2 (replaces version 1)

Trade name weber 140 nova plus Self Level Universal

(Contd. of page 5)

Not determined. Ignition temperature: **Decomposition temperature:** Not determined.

pH at 20 °C < 11

Viscosity:

Kinematic viscosity Not determined. dynamic: Not determined.

Solubility

Water: Miscible

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined.

Density and/or relative density

Density: 1.0-1.3 g/cm<sup>3</sup> Vapour density Not applicable. **Particle characteristics** See item 3.

9.2 Other information No further relevant information available.

Appearance:

Form: Powder

Important information on protection of health

and environment, and on safety.

**Explosive properties:** Product does not present an explosion hazard.

Minimum ignition energy

Solvent content:

Organic solvents: 0.0 % EU-VOC (%) 0,00 %

EU-VOC (q/L)

Solids content: 100.0 %

Change in condition Softening point/range

**Oxidising properties** Not determined. **Evaporation rate** Not applicable.

Information with regard to physical hazard

classes

**Explosives** Void Flammable gases Void Void **Aerosols** Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void

**Oxidising liquids** Void Oxidising solids Void

Organic peroxides Void Corrosive to metals Void

(Contd. on page 7)



Printing date 03.08.2022 Version number 2 (replaces version 1) Revision: 03.08.2022

Void

Trade name weber 140 nova plus Self Level Universal

(Contd. of page 6)

Desensitised explosives

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity Not reactive under normal conditions of use
- 10.2 Chemical stability Stable at recommended storage conditions
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid

Avoid water ingress/moisture during storage (the product will react with moisture and harden).

- 10.5 Incompatible materials: Acids, ammonium salts, aluminum, non-precious metals.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

nents	Type	Value	Species		
CAS: 471-34-1 calcium carbonate					
LD50	6,450 mg/kg (Rat)				
LD50	6,450 mg/kg (Rat)				
CAS: 65997-16-2 Cement, alumina, chemicals					
LD50	>2,000 mg/kg (Rat)				
LD50	>2,000 mg/kg (Rat)				
CAS: 65997-15-1 cement portland, grey					
LD50	>2,000 mg/kg (Rabbit)				
	71-34-1 LD50 LD50 5997-1 LD50 LD50	71-34-1 calcium carbonate  LD50   6,450 mg/kg (Rat) LD50   6,450 mg/kg (Rat) 6997-16-2 Cement, alumina, of the color of th	71-34-1 calcium carbonate  LD50   6,450 mg/kg (Rat)  LD50   6,450 mg/kg (Rat)  5997-16-2 Cement, alumina, chemicals  LD50   >2,000 mg/kg (Rat)  LD50   >2,000 mg/kg (Rat)		

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

#### **Endocrine disrupting properties**

None of the ingredients is listed.

- FUC



Printing date 03.08.2022 Version number 2 (replaces version 1) Revision: 03.08.2022

Trade name weber 140 nova plus Self Level Universal

(Contd. of page 7)

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of te	Type of test Effective concentration Method Assessment		
CAS: 471	-34-1 calcium carbonate		
EC50/72h	14 mg/l (Algae)		
CAS: 659	97-16-2 Cement, alumina, chemicals		
LC50/96h	100 mg/l (Fish)		
EC50/48h	5.4 mg/l (Daphnia magna)		

EC50/72h 3.6 mg/l (Algae)

**12.2 Persistence and degradability** The product is not biodegradable. **12.3 Bioaccumulative potential** Does not accumulate in organisms

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects** No further relevant information available.

#### Behaviour in sewage processing plants:

<u> </u>
Type of test Effective concentration Method Assessment
CAS: 65997-16-2 Cement, alumina, chemicals
FC 50 (3h) 1 000 mg/l (Activated sludge)

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

European	European waste catalogue		
17 01 01	01 concrete		
16 03 03*	inorganic wastes containing hazardous substances		
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10		
HP4	Irritant - skin irritation and eye damage		

### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

EUG



Printing date 03.08.2022 Version number 2 (replaces version 1) Revision: 03.08.2022

Trade name weber 140 nova plus Self Level Universal

(Contd. of page 8)

SECTION 14: Transport informa	tion
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accord	ing to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Cement clinker is exempted from REACH registration (REACH Article 2(7)(b) and Annex V point 10)

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

#### **REGULATION (EC) No 1907/2006 ANNEX XVII**

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

Conditions of restriction: 47

## DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

## Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 10)



Printing date 03.08.2022 Version number 2 (replaces version 1) Revision: 03.08.2022

#### Trade name weber 140 nova plus Self Level Universal

(Contd. of page 9)

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

EUH203 Contains chromium (VI). May produce an allergic reaction.

#### **Department issuing SDS:**

Saint-Gobain Finland Oy / Weber

**QEHS** 

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

#### **Contact:**

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

#### Version number of previous version: 1

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

#### \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.