


ELIPSE® HALF-FACE MASK + HESPA® A2P3 DUST (R) Filters



Particulate plated filter
570 mm; length of actual media in
each filter (70 mm large)

Activated carbon
treated for gas
adsorption

Structure to help
airflow diffusion
and full usage of
the activated
carbon



Standards

EN140: 1998 Mask Body
EN14387: 2004 + A1: 2008 A2P3 R D
CE 0194

Efficiency

P3 >99,95% for 0,3 μ particulate
At 5000 ppm:
Cyclohexane (C₆H₁₂) > 35 minutes

Shelf Live

3 years (mask & filters) See storage conditions on Instructions for Use.
Filters are re-usable and changeable.

Material

- Mask:** Medical grade TPE Conforms to ISO 10993-10: 2010 for irritations. Mask body latex and silicone free, odour free. Valve Body in Nylon, Inhalation/Exhalation diaphragm in Silicone. 4 point adjustable elasticated head and neck strap with comfort pad in TPE.
- Gas Filters:** Activated carbon sealed into a ABS Shell.
- Particulate filters:** Mechanical type multi-layer HESPA Synthetic media with TPE flexible overmolded / encapsulated. Particulate filters are integrated with the carbon element.

Production

United Kingdom
100% of filters NaCl Tested



Code	Description	Quantity
SPR495 (S/M) SPR496 (M/L)	A2P3 Reusable Half Mask for multiple Gases and Vapours and Dust	10 pcs. per box
SPR497	A2P3 replacement filters	5 sets of 2 pcs. per box
SPM009	Elipse High efficiency Mask Carry Case (Belt holder)	10 sets per box

Applications - Universal gases, dust, mist and fumes

Welding



Metal Fumes and Dust in confined space (gas welding)

Construction



Paint, Moulds.

Car & Ship Repair



Epoxide, Paint, Solvents

Manufacturing



Solvents, various Organic Gases

Agriculture



Pesticides