Revision: 30.10.2023



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 30.10.2023

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: weber VM Tuli Fireproof casting mortar

Safety data sheet no.: 358P0713

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free) 09 471 977 (standard rate)

Finnish Poison Information Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Ready-mixed mortar with high alumina cement.

Dangerous components:

CAS: 1344-28-1

EINECS: 215-691-6

Reg.nr.: 01-2119529248-35-xxxx

aluminium oxide

substance with a Community workplace exposure limit

(Contd. on page 2)

50-75%





Printing date 30.10.2023 Version number 4 (replaces version 3) Revision: 30.10.2023

Trade name: weber VM Tuli Fireproof casting mortar

(Contd. of page 1)

SVHC Void

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

The product is not combustible.

Use fire extinguishing methods suitable to surrounding conditions.

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- 5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 3)



Printing date 30.10.2023 Version number 4 (replaces version 3) Revision: 30.10.2023

Trade name: weber VM Tuli Fireproof casting mortar

(Contd. of page 2)

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Inorganic dust HTP (8h) = 10 mg/m3

DNELs		
CAS: 65997-16-2 Cement, alumina, chemicals		
Inhalative	nhalative Derived No Effect Level 2.5 mg/m³ (worker systemic long term value)	
		5 mg/m³ (worker systemic short term value)
CAS No. / Designation of material / % / Type / Value / Unit		

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 1344-28-1 aluminium oxide

AGW (Germany) Long-term value: 1.25* 10** mg/m³

2(II);*alveolengängig**einatembar; AGS, DFG, Y

GV (Denmark) | Short-term value: 10* 4** mg/m³

Long-term value: 5* 2** mg/m³ som Al, *total; **respirabel

LEP (Spain) Long-term value: 10 mg/m³

TWA (Italy) Long-term value: 10 mg/m³

A4 (e)

VLE (Portugal) | Long-term value: 1 mg/m³

respirável;A4,Pneumoconiose,Irritação TRI,em Al

OEL (Sweden) | Long-term value: 5* 2** mg/m³

som Al; *totaldamm **respirabelt damm

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eves and skin.

Do not eat, drink, smoke or sniff while working.

Wash hands before breaks and at the end of work.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.

Eye/face protection Safety glasses.

(Contd. on page 4)



Printing date 30.10.2023 Version number 4 (replaces version 3) Revision: 30.10.2023

Trade name: weber VM Tuli Fireproof casting mortar

Body protection: Protective work clothing.

(Contd. of page 3)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour:GreyOdour:OdourlessOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

Flammability Product is not flammable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable
Auto-ignition temperature: Not determined.
Decomposition temperature: Not determined.
pH Not applicable.

Viscosity:

Kinematic viscosity dynamic:Not applicable.
Not applicable.

Solubility

Water: Miscible

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure:

Not applicable.

Density and/or relative density

Density at 20 °C: 1.5-2.0 g/cm³ (DIN 51757)

Vapour density Not applicable.

Particle characteristics

See section 3.

9.2 Other information No further relevant information available.

Appearance:

Form: Powder

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent content:

Organic solvents: 0.0 % EU-VOC (%) 0,00 %

EU-VOC (g/L)

Solids content: 100.0 %

Change in condition Softening point/range

Oxidising properties Not determined.

(Contd. on page 5)



Printing date 30.10.2023 Version number 4 (replaces version 3) Revision: 30.10.2023

Trade name: weber VM Tuli Fireproof casting mortar

		(Contd. of page
Evaporation rate	Not applicable.	
Information with regard to physical haz	zard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity When mixed with water the product hardens forming a stable non-reactive mass.
- 10.2 Chemical stability Stable at recommended storage conditions
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid

Avoid water ingress/moisture during storage (the product will react with moisture and harden).

- 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	1	Type	1	Value	1	Species	
CAS: 65	997-1	6-2 Cement	t, alumina,	chei	micals			
Oral	LD50	>2,000 mg/	/kg (Rat)					
Dermal	LD50	>2,000 mg/	/kg (Rat)					

Skin corrosion/irritation Skin irritation possible due to drying effect.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 30.10.2023 Version number 4 (replaces version 3) Revision: 30.10.2023

Trade name: weber VM Tuli Fireproof casting mortar

(Contd. of page 5)

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

ſ	Type of test / Effective concentration / Method / Assessment
I	CAS: 65997-16-2 Cement, alumina, chemicals
ľ	LCE0/06b 100 mg/L/Fish)

LC50/96h | 100 mg/l (Fish)

EC50/48h | 5.4 mg/l (Daphnia magna)

EC50/72h 3.6 mg/l (Algae)

- 12.2 Persistence and degradability The product is not biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 65997-16-2 Cement, alumina, chemicals

EC 50 (3h) 1,000 mg/l (Activated sludge)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

Europea	European waste catalogue			
10 13 14	10 13 14 waste concrete and concrete sludge			
17 01 01	concrete			

Uncleaned packaging:

Recommendation: Non contaminated packagings may be recycled.

(Contd. on page 7)



Printing date 30.10.2023 Version number 4 (replaces version 3) Revision: 30.10.2023

Trade name: weber VM Tuli Fireproof casting mortar

(Contd. of page 6)

Recommended cleaning agent: Thoroughly shake out sacks.

SECTION 14: Transport informat	ion
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 8)



Printing date 30.10.2023 Version number 4 (replaces version 3) Revision: 30.10.2023

Trade name: weber VM Tuli Fireproof casting mortar

(Contd. of page 7)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

Department issuing SDS:

Saint-Gobain Finland Oy / Weber

QEHS

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

Contact:

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

Version number of previous version: 3

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.