

Printing date 06.06.2023 Version number 1 Revision: 06.06.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name gyproc J Joint filler

Safety data sheet no.: 358P0956

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

DL-productsafety.fi@saint-gobain.com

www.fi.weber

1.4 Emergency telephone number:

0800 147 111 (toll-free)

09 471 977 (standard rate)

Finnish Poison Information Centre

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3- one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains biocidal products. Active substance: 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

**2.3 Other hazards** Sanding dust can irritate eyes, skin and respiratory system.

Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

**Determination of endocrine-disrupting properties** 

For information on endocrine disrupting properties see section 11.

EUG



Printing date 06.06.2023 Version number 1 Revision: 06.06.2023

Trade name gyproc J Joint filler

(Contd. of page 1)

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

Dangerous components:				
EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one  Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317  Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.05%		
EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317  Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%		

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### **General information**

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air.

# After skin contact

Rinse with warm water.

If skin irritation continues, consult a doctor.

## After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

# After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult a doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Printing date 06.06.2023 Version number 1 Revision: 06.06.2023

Trade name gyproc J Joint filler

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

# 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment: No special measures required.

# **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

Dispose of the material collected according to regulations.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Prevent formation of dust.

Information about fire - and explosion protection: No special measures required.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage

#### Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

# Further information about storage conditions:

Store in a cool place.

Protect from freezing.

**7.3 Specific end use(s)** No further relevant information available.

UG



Printing date 06.06.2023 Version number 1 Revision: 06.06.2023

Trade name gyproc J Joint filler

(Contd. of page 3)

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredien	ts with limit values that	require monitoring at the workplace:
DNELs		
CAS: 263	4-33-5 1,2-benzisothiaz	` ,
Dermal Derived No Effect Level		0.966 mg/kgxday (worker systemic long term value)
		0.345 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.81 mg/m³ (worker systemic long term value)
		1.2 mg/m³ (consumer systemic long term value)
CAS: 559		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7 I-isothiazol-3- one [EC no. 220-239-6] (3:1)
Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.02 mg/m³ (worker local long term value)
		0.02 mg/m³ (consumer local long term value)
PNECs		
CAS: 263	4-33-5 1,2-benzisothiazo	ol-3(2H)-one
Predicted	No-Effect Concentration	0.000403 mg/l (sea water rating factor)
		0.00403 mg/l (fresh water rating factor)
CAS: 559		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500- l-isothiazol-3- one [EC no. 220-239-6] (3:1)
Predicted No-Effect Concentration		0.01 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.00339 mg/l (sea water rating factor)
		0.00339 mg/l (fresh water rating factor)
CAS	lo. / Designation of mat	erial / % / Type / Value / Unit
	4-33-5 1,2-benzisothiazo	` ,
MAK (Ger	many) vgl.Abschn.llb un	d Xc
CAS: 559		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7 I-isothiazol-3- one [EC no. 220-239-6] (3:1)
MAK (Ger		0.2E mg/m <sup>3</sup>
	vgl.Abschn.Xc	

#### 8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

# General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

# Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P2.

Hand protection Protective gloves.

## **Material of gloves**

Neoprene gloves

(Contd. on page 5)



Printing date 06.06.2023 Version number 1 Revision: 06.06.2023

Trade name gyproc J Joint filler

(Contd. of page 4)

Nitrile rubber, NBR PVC or PE gloves

**Eye/face protection** Safety glasses. **Body protection:** Protective work clothing.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Solid.
Colour: Seige

Odour:CharacteristicOdour threshold:Not determined.

Melting point/freezing point: <0 °C

Boiling point or initial boiling point and boiling

range >100 °C

**Flammability** Product is not flammable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: >100 °C

Auto-ignition temperature: Not determined. Decomposition temperature: Not determined.

pH at 20 °C 9

Viscosity:

Kinematic viscosity Not applicable.

Kinematic viscosity

dynamic: Not applicable.

Solubility

Water: Miscible

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure:

Not determined.

Not applicable.

Vapour pressure:

Density and/or relative density

Density:Not applicable.Relative density at 20 °C1.3 kg/dm3Vapour densityNot applicable.Particle characteristicsSee section 3.

9.2 Other information

Appearance:

Form: Pasty

Important information on protection of health

and environment, and on safety.

**Ignition temperature:** Product is not self-igniting.

**Explosive properties:** Product does not present an explosion hazard.

**EU-VOC (%)** 0.0000 % **EU-VOC (g/L)** 0.0000 g/l

(Contd. on page 6)



Printing date 06.06.2023 Revision: 06.06.2023 Version number 1

Trade name gyproc J Joint filler

Change in condition Softening point/range (Contd. of page 5)

Oxidising properties Not determined. **Evaporation rate** Not applicable.

Information with regard to physical hazard

classes

**Explosives** Void Flammable gases Void Void **Aerosols** Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void **Desensitised explosives** Void

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity Not reactive under normal conditions of use
- **10.2 Chemical stability** Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compone	ents	/ Type	I	Value	1	Species
CAS: 263	4-33-5 1,2	-benzisothiazol	-3(2H	)-one		
Oral	LD50	>490 mg/kg (Ra	at)			
Dermal	LD50	>2,000 mg/kg (Rat)				

(Contd. on page 7)



Printing date 06.06.2023 Version number 1 Revision: 06.06.2023

#### Trade name gyproc J Joint filler

(Contd. of page 6)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)				
Oral	LD50	457 mg/kg (Rat)		
Dermal	LD50	660 mg/kg (Rabbit)		

Inhalative LC50/4 h 2.36 mg/l (Rat) **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction to already sensitised individuals (supplemental labelling EUH208 in Europe)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

## **Endocrine disrupting properties**

None of the ingredients is listed.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment

CAS: 2634-3	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
LC50/96h	2.2 mg/l (Oncorhynchus mykiss (Rainbow trout))		
EC50/16h	0.4 mg/l (Pseudomonas putida (Bacteria))		
EC50/48h	2.9 mg/l (Daphnia magna)		
EC50/72h	0.11 mg/l (Algae)		
	0.067 mg/l (Pseudomonas putida (Bacteria))		
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)			
LC50/48h	0.18 mg/l (Daphnia magna)		
LC50/96h	6h 0.282 mg/l (Daphnia magna)		
	0.19-0.3 mg/l (Fish)		
EC50/24h	EC50/24h 0.109 mg/l (Daphnia magna)		
	0.0107 mg/l (Algae)		
EC50/48h	EC50/48h 0.16 mg/l (Daphnia magna)		
	0.0181-0.0371 mg/l (Algae)		
EC50/72h	0.0063-0.0273 mg/l (Algae)		
NOEC (14d)	0.035 mg/l (Daphnia magna)		
` ,	0.011-1.05 mg/l (Daphnia magna)		

**12.2 Persistence and degradability** No further relevant information available.

(Contd. on page 8)



Printing date 06.06.2023 Version number 1 Revision: 06.06.2023

# Trade name gyproc J Joint filler

(Contd. of page 7)

12.3 Bioaccumulative potential

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EBAB 0.7 log Pow

**12.4 Mobility in soil** The product is insoluble in water.

12.5 Results of PBT and vPvB assessment

**PBT**: Does not contain PBT substances. **vPvB**: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC 50 (3h) 10.3 mg/l (Activated sludge)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EC 50 (3h) 4.5 mg/l (Activated sludge)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Recommendation Dispose of the product in accordance with national and local regulations.

## European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

#### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleaning agent:** Thoroughly shake out sacks.

# SECTION 14: Transport information 14.1 UN number or ID number ADR, IMDG, IATA Void 14.2 UN proper shipping name ADR, IMDG, IATA Void 14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class Void 14.4 Packing group ADR, IMDG, IATA Void

(Contd. on page 9)



Printing date 06.06.2023 Revision: 06.06.2023 Version number 1

Trade name gyproc J Joint filler

(Contd. of page 8)

	(Contract of page of
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

# **REGULATION (EU) 2019/1148**

# Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

# **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

# Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However,

this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual

relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the

(Contd. on page 10)



Revision: 06.06.2023 Printing date 06.06.2023 Version number 1

#### Trade name gyproc J Joint filler

(Contd. of page 9)

Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

## **Department issuing SDS:**

Saint-Gobain Finland Oy / Weber

**QEHS** 

P.O.Box 70 (Strömberginkuja 2)

FI-00381 Helsinki

#### **Contact:**

Tel. +358-(0)10-44 22 00 Fax +358-(0)10-44 22 520

# Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

## \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.